Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	104	additional adj address adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 21:37
L2	12	("4831522", "5802601", "5953280", "2003090879", "5594704").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:14
L3	4	2 and predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 21:52
L4	22026	(extend$4 or expand$4) with (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:25
L5	2153	(extend$4 or expand$4) adj (address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:36
L6	1530	(upper with lower) near5 bank	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:25
L7	16	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:25
L8	70	(extend$4 or expand$4) adj (address adj bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:37
L9	27225	"711"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:38

L10	12	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:51
L11	2	"5255382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 22:51
L12	1	11 and select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:23
L13	2	"5802601".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:14
L14	1	13 and select	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:14
L15	1	13 and (select adj (signal or command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:15
L16	2	2 and (select adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:17
L17	1	13 and ce	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:24
L18	50002	(select adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:25
L19	96	(select adj signal) with memory with capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 23:32

L20	2	"6788592".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:16
L21	0	20 and (clock adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:16
L22	0	20 and clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:17
L23	20674	(clock adj signal) with enabl$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:18
L24	412	(clock adj signal) with enabl$4 with valid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:18
L25	42	(clock adj signal) with enabl$4 with valid with invalid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:36
L26	1	19 and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:19
L27	24	(select adj signal) and 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:19
L28	1	(clock adj signal) with enabl$4 with valid with invalid with (memory adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:37
L29	1	(clock adj signal) with enabl$4 with valid with invalid same (memory adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 00:37